

# FOL77 FINE LINE TAPE

## Technical Data Sheet

### Description

Polypropylene automotive fineline masking tape, conformable and solvent resistant, translucent, excellent surface wetability and high temperature performance.

### Adhesive

- Pigmented urethane
- Pressure sensitive

### Carrier

- PVC
- Green

### Liner

- No liner

### Applications

- Automotive OEM and aftermarket fineline masking
- Automotive paintline masking up to +138°C for 45 minutes
- Mask color separations on plastic, aluminium, steel and fiberglass

### Technical details

|                            |                    |
|----------------------------|--------------------|
| <b>Adhesion to steel</b>   | <b>33,6 g/mm</b>   |
| <b>Total thickness</b>     | <b>0,127 mm</b>    |
| <b>Tensile strength</b>    | <b>0,215 kg/mm</b> |
| <b>Elongation</b>          | <b>600%</b>        |
| <b>Maximum temperature</b> | <b>+138°C</b>      |

### Usage

Temperature: between +15°C and +30°C. Surface must be clean and free from dust and grease. Pressure sensitive adhesive must be applied with a maximum of pressure in order to achieve maximum pressure level. The indicated level of performance will be reached after a bonding period of 24HRS at +23°C.

### Storage and shelf life

Clean and dry in a well ventilated area, preferably at a temperature between +10°C and +30°C. Stored under these conditions shelf life will be a minimum of one year.

*The above information is given in good faith, but the user should assure himself that the performance of the product is sufficient for his application. The quoted values are average and should not be taken as maximum or minimum values for specific purposes. Option Tape Specialties cannot be held responsible for product failure unless full testing has been carried out. The client has to decide on the tapes suitability for their own applications.*

670 New York Street  
Memphis, TN 38104 USA  
Tel. : 901-274-3347 - Fax : 901-274-8816  
sales@chemicar.com - www.chemicar.com

**CHEMICAR**<sup>USA</sup>